



Fire truck PP100K - metal

Product type PP-100K-10

Basic information

Age category	0 - 10 years
Minimum area	5,3 m x 4,1 m
Equipment measurements	2,29 m x 1,03 m x 1,19 m
Free fall height:	1 m
Load capacity:	270 kg
Max. number of users:	5
Fall zone: EN 1177	null
Designation:	exterior
Availability of spare parts:	supplied by the
Certificate of Compliance:	ČSN EN 1176 - 1

Material

Plastic units - HDPE
Tunnel - polyethylene
Metal units - structural steel
Platforms - Foamlite

Finish

Duplex powder coated with coat curing
Hot-dip galvanizing

Description

The supporting structure of the fire truck is made of structural steel, which is protected against corrosion by the zinc coating, which provides a very significant prolongation of the life of the gaming elements or duplex powder coated with coat curing according to RAL to prevent corrosion. These structures are embedded in a concrete bed. All other metallic elements are also zinc coated or duplex powder coated with coat curing according to RAL to prevent corrosion. All other parts are made of high quality plastic HDPE (high-pressure, full-color polyethylene, which is characterized by high color fastness, UV resistance and mainly safety, because it is non-breakable and there is no risk of injury to children sharp fragments). Climbing tunnel is made of polyethylene, which is UV stable and is characterized by high color stability. All fasteners are galvanized or stainless steel.

Equipment

1x crawler tunnel, 1x steering wheel, 2x interactive sidewalls, 4x cushions

