



Slide with a ladder KZ160KW (f.h. 1 m) - brown

Product type KZ-160KW-10-B

Basic information

Age category	1 - 10 years
Minimum area	3,45 m x 5,27 m
Equipment measurements	0,45 m x 1,77 m x 0,87 m
Free fall height:	1 m
Load capacity:	54 kg
Max. number of users:	1
Fall zone: EN 1177	null
Designation:	exterior
Availability of spare parts:	supplied by the
Certificate of Compliance:	ČSN EN 1176 - 1, 3

Material

Metal units - structural steel
 Plastic parts - HDPE
 Slide - stainless steel
 Platform - HPL

Finish

Duplex powder coated with coat curing
 Hot-dip galvanizing

Description

The support structure of the slide is made from structural steel, which is hot-dip galvanized or duplex powder coated with coat curing according to RAL to prevent corrosion and is fixed in a concrete bed. All other metallic elements are also zinc coated or duplex powder coated with coat curing according to RAL to prevent corrosion.

The slide is made from stainless steel. Side walls are made from high quality HDPE plastic (high density coloured polyethylene, which is characterised by high colour stability, UV resistance but mainly safety as it doesn't break and therefore there is no danger of injury to children by sharp fragments). The platform is made from HPL (High-pressure laminate, which is characterised by high colour stability, UV resistance and water resistance).. All fastening material is galvanized or stainless steel.

