
Playground » Rope pyramids





www.zaidimuaiksteles-bonita.lt

Rope pyramid PY631K (f.h. 1 m, with 6 tension locks)

Product type PY-631K-10

Basic information

 $\begin{array}{ll} \mbox{Age category} & \mbox{3 - 15 years} \\ \mbox{Minimum area} & \mbox{7,6 m} \times \mbox{7,6 m} \\ \mbox{Equipment measurements} & \mbox{4,6 m} \times \mbox{4,6 m} \times \mbox{3 m} \end{array}$

Free fall height: 1 m
Load capacity: 2160 kg
Max. number of users: 40
Fall zone: EN 1177 null
Designation: exterior
Availability of spare parts: supplied by the
Certificate of Compliance: ČSN EN 1176 - 1, 11

Material

Metal units - structural steel

Ropes and nets - polypropylene with a steel internal core

Plastic units - polyamide

Finish

Hot-dip galvanizing

4.6m 7.6m

Description

The support pillar of the rope pyramid is made from structural steel. The pillar is protected against corrosion by hot-dip galvanizing and fixed in a concrete bed. The ropes are made using HERKULES material (16 mm thick ropes made from polypropylene with a steel internal core) and are connected with plastic or aluminium joints. The turnbuckles are stainless steel. All fastening material is galvanized or stainless steel.