

Bear MIDI (UV stable) TUP2006K - metal


Product type TUP-2006K-10

Basic information

Age category	0 - 10 years
Minimum area	5,63 m x 3,7 m
Equipment measurements	2,63 m x 0,72 m x 1,22 m
Free fall height:	1 m
Max. number of users:	3
Fall zone: EN 1177	null
Certificate of Compliance:	ČSN EN 1176-1 ed.2 +A1:2024 ČSN EN 1176-11:2022

Material

Metal units - structural steel
Tunnel - polyethylene
Plastic units - HDPE
Ropes - polypropylene with a steel internal core



Finish

Duplex powder coated with coat curing
Hot-dip galvanizing

Description

The support structure is made of structural steel which is protected against corrosion by zinc coating, resulting in a very prolonged service life of the workout elements or duplex powder coated with coat curing according to RAL to prevent corrosion. These structures are anchored to concrete footings. All other metallic elements are also zinc coated or duplex powder coated with coat curing according to RAL to prevent corrosion.

Plastic units are made of high quality HDPE plastic (high density coloured polyethylene, which is characterised by high colour stability, UV resistance but mainly safety as it doesn't break and therefore there is no danger of injury to children by sharp fragments). Rope tunnel is made using HERKULES material (16 mm thick ropes made from polypropylene with a steel internal core) and are connected with plastic or aluminium joints. Crawl tunnel is made from polyethylene which is UV stable and it is characterised by high colour stability. All fastening material is galvanized or stainless steel.