



Double seat seesaw VH210KG - green

Product type VH-210KG-10

Basic information

| | |
|------------------------------|--------------------------|
| Age category | 2 - 10 years |
| Minimum area | 6,1 m x 2,3 m |
| Equipment measurements | 3,08 m x 0,23 m x 0,95 m |
| Free fall height: | 1 m |
| Load capacity: | 108 kg |
| Max. number of users: | 2 |
| Fall zone: EN 1177 | null |
| Designation: | exterior |
| Availability of spare parts: | supplied by the |
| Certificate of Compliance: | ČSN EN 1176 - 1, 6 |

Material

Metal units - structural steel
 Seats - HPL
 Plastic units - HDPE

Finish

Duplex powder coated with coat curing
 Hot-dip galvanizing

Description

The seesaw beam is made from structural steel, which is zinc coated or duplex powder coated with coat curing according to RAL to prevent corrosion and is anchored to the support structure by carriage bolts. The support structure of the see-saw is steel; it is protected against corrosion by hot-dip galvanizing and fixed in a concrete bed.

Plastic units are made from high quality HDPE plastic (high density coloured polyethylene, which is characterised by high colour stability, UV resistance but mainly safety as it doesn't break and therefore there is no danger of injury to children by sharp fragments).

The seats are made from HPL (High-pressure laminate, which is characterised by high colour stability and water resistance).

All fastening material is galvanized or stainless steel. The swing is constructed with durability and long life in mind. Impacts are dampened by rubber bumpers.

