
Playground » Rope pyramids



www.zaidimuaiksteles-bonita.lt



Rope pyramid PY640K (f.h. 1 m, with 6 tension locks)

Product type PY-640K-10

Basic information

 $\begin{array}{ll} \text{Age category} & 3 - 15 \text{ years} \\ \text{Minimum area} & 9,1 \text{ m} \times 9,1 \text{ m} \\ \text{Equipment measurements} & 6,1 \text{ m} \times 6,1 \text{ m} \times 4 \text{ m} \end{array}$

Free fall height: 1 m
Load capacity: 3996 kg
Max. number of users: 74
Fall zone: EN 1177 null
Designation: exterior
Availability of spare parts: supplied by the
Certificate of Compliance: ČSN EN 1176 - 1, 11

Material

Metal units - structural steel

Ropes and nets - polypropylene with a steel internal core

Plastic units - polyamide

Finish

Hot-dip galvanizing

6.1m 9.1m

Description

The support pillar of the rope pyramid is made from structural steel. The pillar is protected against corrosion by hot-dip galvanizing and fixed in a concrete bed. The ropes are made using HERKULES material (16 mm thick ropes made from polypropylene with a steel internal core) and are connected with plastic or aluminium joints. The turnbuckles are stainless steel. All fastening material is galvanized or stainless steel.